

STRUCTURAL ALLOYED STEEL

CIS Standards GOST 4543-71 (DSTU 7806)	EU Standards EN 10083, EN 10084		USA Standards ASTM/AISI
15X	1.7015	15Cr3	5015
30X	1.7030	28Cr4	5130
35X	1.7033	34Cr4	5132
40X	1.7045	42Cr4	5140
15Г	1.1148	C16E	
20Г	1.0460	C22.8	1022
25Г			1026
30Г	1.1170	28Mn6	1330
35Г			1035
40Г	1.1157	40Mn4	1039
45Г	1.0503	C45	1045
50Г	1.1206	C50	1050
10Г2			1513
30Г2	1.1165	28Mn6	1132
35Г2	1.1167	35Mn5	1137
40Г2			1141
45Г2		46Mn27	1144
50Г2	1.0913	50Mn7	1552
33XC			
38XC			
40XC			
15XM	1.7337	16CrMo4-4	
20XM	1.7320	20MoCr3	4118
25XM	1.7218	25CrMo4	4130
30XM	1.7218	25CrMo4	4130
35XM	1.7220	34CrMo4	4135, 4137
38XM	1.7225	41CrMo4	
30XMA			
30X3MΦ	1.8519	31CrMoV9	
40XMΦA			
15XΦ			
40XΦA	1.7223	41CrMo4	6117
12XH			4140, 4142
20XH		18NiCrMo5	3120
40XH	1.5711	40NiCr6	3140
45XH			3145
50XH			