

# STRUCTURAL HIGH-ALLOYED STEEL

CIS Standards GOST 4543-71 (DSTU 7806-15)	EU Standards EN 10083, EN 10084, EN 10028-2		USA Standards ASTM/AISI
12XH3A	1.5732	HNiCr10	665M13
14XH3M	1.6657	14NiCrMo 13-4	9310
20XH3A		20NC11	
30XH3A	1.5755	30NC11	
12X2H4A	1.5752	14NiCr14	E3310
20X2H4A		19CrNi8	E3310
38X2H2MA	1.6582	34CrNiMo6	4330
40XH2MA	1.6511	36CrNiMo4	4340
40X2H2MA	1.6565	40CrNiMo6	4340
38XH3MA			
18X2H4MA	1.6657	UNiCrMo 134	
25X2H4MA			
36X2H2MΦA		34CrNiMo6	4340
38XH3MΦA		34NiCrMo V14-5	
30XH2MΦA			
45XH2MΦA			
CIS Standards OST 108.958.04-85			
34XH1MA			
34XH3MA			
CIS Standards OST 108.030.113-87			
15X1M1Φ			
CIS Standards GOST 20072 - 74	1.7362	X12CrMo5	501, 502
15X5M			
20X3MΦ			